

Republic of the Philippines Iloilo Science and Technology University Miagao Campus Miagao, Iloilo Trunkline: (+6333) 315-8164 | Telefax: (+6333) 315-9755 https://www.miagao.isatu.edu.ph

Project Title: REHABILITATION/IMPROVEMENT OF BUILDING I (Industrial Technology Building) Phase I Owner : ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY - MIAGAO CAMPUS Location: MIAG-AO, ILOILO Approved Budget Cost: Php 7,000,000.00 Funding Source: Fund 101 (CO)

Subject: BILL OF QUANTITIES AND COSTS

lte	em	Description	Qty	Unit	Unit Price	Total Amount (Php)
Ι		GENERAL REQUIREMENTS				
	а	Temporary Facilities				
		Electricty/water Utilities/Bunk House and Site Enclosure		lot		
	b	Professional Fees, Processing of Permits, As Built Plans and Testing	g of Ma	terials		
		Professional Fees for seven (7) sets of complete plans (signed & sealed), Building & Occupancy Permit Forms & Construction Specifications (signed & sealed), Completion/Testing/Commissioning/ Final Inspection and project Acceptance Certification (Signed and Seal)		lot		
		Processing of Demolition, Building and Occupancy Permit including Fire Safety Evaluation Certification (FSEC) and Fire Safety Inspection Certification (FSIC) (inc penalties), Testing of materials, Seven (7) sets of As Built Plans & Project Construction Signages		lot		
	С	Occupational Safety & Health Provision (Including safety signages)		lot		
		Material Cost				
		Labor Cost				
		Direct Cost				
		Indirect Cost				
		VAT				
		Sub Total				
Ш		SITE WORK				
		Demolition and hauling of existing structure of existing 3 rooms including rear extension		lot		
		Site clearing, Grubbing and Layout		sq.m		
		Excavation		cu.m		
		Gravel Base		cu.m		
		Filling and compaction (FDT required)		cu.m		
		Soil Treatment (by certified Pest Controller)		sq.m		
		Labor Cost				
	Direct Cost					
		Indirect Cost				
		VAT				
		Sub Total				

ltem	Description	Qty	Unit	Unit Price	Total Amount (Php)
11	CONCRETE WORKS				
1	Foundation, FTB, TB, GB & WF (3000psi)				
	Portland Cement		bags		
	Screened Gravel		cu.m.		
	Washed sand		cu.m.		
	Rebars (grade 40)				
	16mmø x 6.0m Deformed bars		lgth		
	12mmø x 6.0m Deformed bars		lgth		
	10mmø x 6.0m Deformed bars		lgth		
	Hacksaw blade		pcs		
	# 16 G.I. Tie Wire		kl		
2					
	Portland Cement		bags		
	Screened Gravel		cu.m.		
	Washed sand		cu.m.		
+	Rebars				
+	25mmø x 6.0m Deformed bars (Grade 60)		lgth		
+	20mmø x 6.0m Deformed bars (Grade 60) 20mmø x 6.0m Deformed bars (Grade 60)		-		
+	10mmø x 6.0m Deformed bars		lgth labt		
	12mmø x 6.0m Deformed bars		lght Igth		
_			lgth		
	Hacksaw blade		pcs		
	# 16 G.I. Tie Wire		kl		
3	Ground Floor Slab (3000 psi)		-		
-	Portland Cement		bags		
	Screened Gravel		cu.m.		
	Washed sand		cu.m.		
	12mmø x 6.0m Deformed bars		lght		
	# 16 G.I. Tie Wire		kgs		
	Hacksaw blade		pcs		
4	2nd floor beam, cantilever beam & concrete canopy				
	Portland Cement		bags		
	Screened Gravel		cu.m.		
	Washed sand		cu.m.		
	Hacksaw blade		pcs		
	Rebars				
	16mmø x 6.0m Deformed bars		lgth		
	12mmø x 6.0m Deformed bars		lgth		
	10mmø x 6.0m Deformed bars		lgth		
	# 16 G.I. Tie Wire		kl		
5	2nd Floor Slab (3000 psi) (two-way Slab)				
	Portland Cement		bags		
	Cement water proofing compound 908 grams		packs		
	Screened Gravel		cu.m.		
	Washed sand		cu.m.		
	12mmø x 6.0m Deformed bars		lght		
+	# 16 G.I. Tie Wire		kgs		
	Hacksaw blade		pcs		
	Waterproofing of 2nd floor slab (2 coat)		pcs		
	Material Cost				
	Labor Cost				
	Direct Cost				
	Indirect Cost				
	···- <u>-</u>				
	VAT				

ltem	Description	Qty	Unit	Unit Price	Total Amount (Php)
IV	FORM WORKS AND SCAFFOLDING				
	Web steel deck 1.0 mm thk		ln.m.		
	19mmØ x 95mm shear studs		pcs		
	edge trim, restraint strap and accessories		lot		
	3/8" Ordinary Plywood		pcs		
	2" x 2" x 12' Coco Lumber		pcs		
	2" x 3" x 12' Coco Lumber		pcs		
	Assorted Common Nails		kgs		
	Assorted Concrete Nails		kgs		
	Bamboo Pole		pcs		
	Material Cost		-		
	Labor Cost				
	Direct Cost				
	Indirect Cost				
	VAT				
	Sub Total				
v	MASONRY				
1	Unit Masonry				
- '	4" CHB		pcs		
_	6" CHB		·		
_	Porland Cement		pcs		
	10mmø x 6.0m Deformed bars		bags		
			lgth		
	Screened Gravel		cum		
	Washed sand		cum		
	# 16 G.I. Tie Wire		kl		
	Material Cost				
	Labor Cost				
	Direct Cost				
	Indirect Cost				
	VAT				
-	Sub Total				
VI	ROOF FRAMING				
	6mm thk 3" x 3" x 6m angle bar		lgth		
	6mm thk 2" x 2" x 6m angle bar		lgth		
	6mm thk 1" x 1" x 6m angle bar		lgth		
	3/4" x 10" anchor bolt w/ bolt, nut & washer		set		
	120mm x 120mm x 6 mm thk base plate w/ 4 holes		pcs		
	20mmø turn buckles with Rod		pcs		
	1.5mm thk 2"x 4" x 6m c purlins		lgth		
	12mmø x 6.0m Deformed bars (L web bar,tie rod, cleats)		lgth		
	1" x 1/2 thk flat bar		lgth		
	E6013 Welding Rod		box		
	Epoxy Primer Grey		gal		
	Epoxy Reducer		gal		
	Lacquer Thinner		gal		
	2" Paint Brush		pcs		
	4"ø Grinding Stone		pcs		
	4"ø Steel Cutting Disk		pcs		
	4" Baby Roller		pcs		
1	Hardware and accessories		P 30		

Į		Material Cost			
<u> </u>					
		Sub Total			
VII		THERMAL AND MOISTURE PROTECTION			
	1	Roofing			
	-	0.5mm thck Pre painted twin rib type long span roofing 1.0 e.c.	lm		
		Aluminum Insulation @ 100/lm (double sided)	lm		
		0.5mm x 0.6 x 2.40m Pre painted box type gutter	pcs		
		Aluminum leaf mesh net gutter guard w/ nails spike	lot		
		0.5mm x 0.4 x 2.40m Pre painted fascia flashing 4 bends	pcs		
		0.5mm x 0.4 x 2.40m Pre painted end flashing 4 bends	pcs		
		0.5mm Pre painted wall flashing	pcs		
		5/32" x 1/2" Alum Blind Rivets	boxes		
┝─┤		2" Tex Screw			
┝─┤		2" Tex Screw 2" Concrete Nails	pcs kls		
		Gutter Seal	-		
		Silicon Sealant	ltrs		
			tubes		
		5/32" Drill Bit	pcs		
		Hardwares and accessories	lot		
<u> </u>		Material Cost			
		Labor Cost			
		Direct Cost			
<u> </u>		Indirect Cost			
		VAT			
	1	Sub Total			
VIII					
		CEILING			
	1	Plain Ceiling (all rooms including front hallway and roof perimeter o	eiling)		
	1	Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk	ceiling) shts		
	1	Plain Ceiling (all rooms including front hallway and roof perimeter o			
	1	Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk	shts		
	1	Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double	shts Igths		
	1	Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier	shts lgths lgths		
	1	Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk	shts Igths Igths Igths		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip	shts lgths lgths lgths pcs		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets	shts lgths lgths lgths pcs boxes		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip   5/32" x 1/2" Blind Rivets   5/32"ø Drill Bit	shts lgths lgths lgths pcs boxes pcs		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip   5/32" x 1/2" Blind Rivets   5/32"ø Drill Bit   gypsum black screw 1"	shts lgths lgths lgths pcs boxes pcs pcs		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip   5/32" x 1/2" Blind Rivets   5/32"ø Drill Bit   gypsum black screw 1"   1" Concrete Nail	shts lgths lgths lgths pcs boxes pcs pcs kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip   5/32" x 1/2" Blind Rivets   5/32"ø Drill Bit   gypsum black screw 1"   1" Concrete Nail   GA 12 G. I. Tie Wire	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip   5/32" x 1/2" Blind Rivets   5/32"ø Drill Bit   gypsum black screw 1"   1" Concrete Nail   GA 12 G. I. Tie Wire   hardware and accessories	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk   Ceiling Frame & hanger 20', 0.5 mm thk metal furring double   1" x 1" x 20', 0.8 mm thk furring carrier   2.4M wall angle 0.5 mm thk   w clip   5/32" x 1/2" Blind Rivets   5/32"ø Drill Bit   gypsum black screw 1"   1" Concrete Nail   GA 12 G. I. Tie Wire   hardware and accessories	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32" ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32"ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32"ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32"ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost Direct Cost Indirect Cost	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32"ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost Direct Cost Indirect Cost	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32" ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost Direct Cost Indirect Cost VAT Sub Total GLASS SLIDING WINDOW & ALL DOORS	shts lgths lgths lgths pcs boxes pcs pcs kls kls		
		Plain Ceiling (all rooms including front hallway and roof perimeter of 4' x 8' marine plywood 1/4" thk Ceiling Frame & hanger 20', 0.5 mm thk metal furring double 1" x 1" x 20', 0.8 mm thk furring carrier 2.4M wall angle 0.5 mm thk w clip 5/32" x 1/2" Blind Rivets 5/32"ø Drill Bit gypsum black screw 1" 1" Concrete Nail GA 12 G. I. Tie Wire hardware and accessories Material Cost Labor Cost Direct Cost Indirect Cost	shts lgths lgths pcs boxes pcs kls kls lot		

<u> </u>					
W2	2 2.00m x 1.20m sliding window, 3/16" thick glass in aluminum frame with complete accessories and painted round steel grills	units			
W	3 3.00m x 1.20m sliding window , 3/16" thick glass in aluminum frame with complete accessories	units			
W	0.95m x 1.20m sliding window , 3/16" thick glass in aluminum frame with complete accessories	units			
2	DOORS				
D1	1.00m x 2.10m steel door with steel jamb and w/complete accessories	sets			
D3	, 1.60m x 2.10m varnished double solid wood panel door in steel jamb w/	units			
	2 sets handle and dead bolt lock with complete accessories				
	Material Cost				
	Labor Cost				
	Direct Cost				
	indirect Cost				
	VAT				
	Sub Total				
v					
X	FINISHES				
1		here			
	Portland Cement	bags			
	fine sand	cum			
2					
	60 x 60 semi-polished floor tiles (Including hallway)	pcs			
	tile adhesive	bags			
	tile grout	kls			
	portland cement	bags			
	Material Cost				
	Labor Cost				
	Direct Cost				
	Indirect Cost				
	VAT				
VI	Sub Total				
XI	PAINTING				
1					
	Flat Latex Paint	pail			
	6" Roller Brush	pcs			
	Patching Compound	sack			
	2" Paint Brush	pcs			
	#80 Water Proof Sand Paper	ft			
<b>_</b>	4" Baby Roller	pcs			
2		ne'l			
	Flat Wall Latex Paint	pail			
	Semi Gloss Latex Paint (shade varies)	pail			
	Masonry Neutralizer 3.7 Liters	gal			
	#80 water proof sand paper	ft			
	#100 water proof sand paper	ft			
	Patching Compound Material Cost	sack			
	Material Cost				
Labor Cost					
Direct Cost Indirect Cost					
	indirect Cost				
	\/AT				
	VAT Sub Total				

ltem	Description	Qty	Unit	Unit Price	Total Amount (Php)
XII	Plumbing Works				
	3" PVC Sanitary S1000		lengths		
	3" PVC sanitary elbow		pcs		
	4" PVC Sanitary S1000		lengths		
	Reducer 4" x 3"		pcs		
	300ml PVC solvent cement		can		
	support strap for pipes		lot		
	hardwares and accessories (screws, nails, etc.)		lot		
	Material Cost				
	Labor Cost				
	Direct Cost				
	Indirect Cost				
	VAT				
	Sub Total				
XIII	ELECTRICAL				
	Panel Board 9 holes center main w/ 150 Amp main 3P CB bolt-on w/ 8 branches, 4 - 2P/40A CB, 1 - 3P/40A CB, 1- 2P/50A CB, 1-2P/80A CB, 1-2P/30A CB (for spare)		set		
	Panel Board 7 holes center main w/ 30 Amp main 3P CB bolt-on w/ 6 branches, 2 - 2P/15A CB, 3- 2P/20A CB, 1-2P 30A CB (for spare)		sets		
	Panel Board 7 holes center main w/ 30 Amp main 3P CB bolt-on w/ 6 branches, 2 - 2P/15A CB, 1- 2P/20A CB, 1- 3P/20A CB (for ACU), 2-2P 30A CB (for spare)		sets		
	Panel board 3 holes w/ 30 Amp main CB bolt-on w/ 2 branches, 2 - 2P/20A CB		sets		
	70 mm² THW wire		mtrs		
	2.0mm <sup>2</sup> THHN		box		
	2.0mm² THHN /green		box		
	3.5mm² THHN /green		box		
	3.5mm <sup>2</sup> THHN		box		
	5.5mm² THHN		box		
	5.5mm <sup>2</sup> THHN		box		
	8" Recessed Slim LED Downlight 18W square, AC 220V, 60Hz, IP 40 (indoor), 1001 Lumens (good quality/heavy duty)(daylight)		set		
	Rechargeable twin head emergency lamp (per room)		set		
	Industrial Exhaust Fan, 12″ (405mm) 4-leaf metal fan blade 145W		set		
	single switch concealed		sets		
	2-gang switch concealed		sets		
	3-gang switch concealed		sets		
	single C.O concealed (Universal type) w/ ground, 3 prong wide series (for emergency light per room)		pcs		
	Installation of existing aircon unit		lot		
	duplex C.O concealed (Universal type) w/ ground, 3 prong wide series		pcs		
	2"x 4" utility box PVC		pcs		
	4"x 4" junction box PVC	İ.	pcs		
	20mmø uPVC pipe		pcs		
	50mmø uPVC pipe		pcs		
	300ml PVC solvent cement	Î	can		
	electrical tape (big)	Ì	pcs		
	18" orbit ceiling fan heavy duty/ high quality		set		
	FDAS Panel (4 zones, 2 sets fire alarm bell 6" dia.) 2-Break Glass Call Point Manual Push button and 6-sets smoke detector complete with accessories		lot		
	hardwares and accessories (screws, nails, etc.)		lot		

Material Cost					
Labor Cost					
Direct Cost					
Indirect Cost					
VAT					
Sub Total					
TOTAL PROJECT COST					
BREAKDOWN OF THE TOTAL PROJECT COST					
	Total Material Cost				
TOTAL DIRECT COST	Total Labor Cost				
	DIRECT COST				
TOTAL INDIRECT COST	INDIRECT COST				
	VAT				
TOTAL PROJECT COST (PhP)					

Prepared by:

Submitted by:

Contractor/Bidder

